
# **TEO SMART BLINDS**

We design and manufacture motors and automation products for the window coverings industry



2025 PRODUCT CATALOG




# **INDEX**

Introduction	Neo Smart Blinds is dedicated to providing straight- forward and cost-effective motors and accessories for the window covering industry. Our product range includes a diverse selection of RF, Bluetooth, and Wi-Fi motors with battery and wired options, solar panels, control and automation accessories, along with various hardware choices.	06
Neo Motors	Explore our extensive collection of 25mm, 35mm, and 45mm tubular motors, as well as curtain and venetian motors featuring wand and app compatibility options.	80
Neo Wand	Discover wand options in lengths of 21, 39, and 51 inches, each equipped with 2 favorite position, open and close controls, and a charging port. Easily configure settings using control buttons and dedicated buttons on the back.	14
Neo Remote Controls	Choose from our RF handheld remote controls, available in 2, 6, 15, or 30 channels, each supporting 2 favorite position settings. The remotes come in both white and black options, with additional choices of 2 and 8 channel wall remote controls.	23
Smart Controller	Control compatible motor brands from anywhere with the Smart Controller and Neo Smart Blinds App. Easily integrate with leading smart home platforms, including Amazon Alexa, Google Home, Apple Home, Control4, Nice/ELAN, and more.	25
Blue Link	Easily adjust compatible Neo motors with internal or external Blue Link via Bluetooth®. Get real-time	29

feedback on battery levels, blind positions, and schedule automation to suit your needs.

# **NEO SMART BLINDS**

Innovative automation solutions designed for manufacturers and installers, offering smooth integration, extensive compatibility, and user-friendly control.



# Introduction

Neo Smart Blinds is a **Canadian company based in Montreal**, specializing in motorization and automation solutions for the window coverings industry. Since 2012, we have been **designing**, **developing**, **and manufacturing** a wide range of products, including tubular, venetian, and drapery motors, solar panels, remote controls, and accessories. With expertise in **RF**, **Wi-Fi**, **and Bluetooth technologies**, we provide **easy automation through our intuitive apps**.

Trusted by manufacturers and dealers across North America, Europe, and Australia, our solutions are designed to be adaptable and easy to integrate. The Smart Controller, our multi-protocol RF hub, simplifies automation by supporting over 20 motor brands and connecting with leading smart home platforms such as Amazon Alexa, Google Home and Apple Home. With in-app guided setup tailored to each motor brand, installers and users can configure their systems with confidence.

For a **cost-effective alternative**, our **wand motors** offer manual or app control, real-time feedback, and automated scheduling via Blue Link, a Bluetooth dongle. Whether you're working with multiple motor brands, planning a transition, or expanding your smart home offerings, **Neo Smart Blinds provides the flexibility and reliability to power your business**.

# Enhance your product line with flexible, future-ready motorization

# and control to meet customer needs.

#### **Our Services Custom Hardware**

Need hardware that works with your existing tubes and parts? We design and manufacture solutions that integrate perfectly with our motors, making transitions and upgrades effortless.


## White Label Motors

Create a motor line that reflects your brand. Customize everything from logo and color to operational parameters, wire length, drive, and crown sizes—ensuring a seamless fit for your product lineup.

# **Smart Controller & App Customization**

Make the Smart Controller and Neo Smart Blinds app your own with flexible branding options:

- **Setup Code:** Personalize the app with your brand's logo, colors, technical support details, and tailored motor protocols, remote controls, and blind types-perfect for businesses that want a customized experience within our platform.
- **Standalone App:** Get a fully branded app with all the technical refinements of the Setup Code. While we handle publishing and maintenance, your brand takes center stage in the Google Play and Apple App Store.





# **Motor Specifications**

Model	TM-RB25-1.1/30 micro-USB extension TM-RB25-C-1.1/30 USB-C extension
Description	25mm tubular RF battery motor
Eletrical parameters	8.4V built-in rechargeable battery 2200mAh and 2600mAh options
Power sources	5V/1A charger 2W/15V solar panel
Operational parameters	1.1Nm, 30rpm
Control mode	RF remote control Smart Controller Blue Link port









Wireless remote control

Battery driven

Whisper quiet

Solar powered

#### **Key Features**

- Built-in lithium battery lasts up to 6 months
- Charge using a USB wall charger or Neo solar panel
- Easily set the open and close limits
- Precise % position and two favorite positions
- Works with all Neo Remote Controls
- Can work with your phone instantly by connecting the optional Blue Link (Bluetooth® dongle) to the motor. The Neo Smart Blinds Blue app is available for iOS and Android devices.
- Comes ready to work with the Smart Controller to enable local and cloud control. The Neo Smart Blinds app is available for iOS and Android devices.

## **Blinds Types**



#### **Compatible Apps**

## Blue Link and Neo Smart Blinds Blue App



Blind control via Bluetooth®—no Wi-Fi needed. Adjust each blind with precision, set schedules, and get real-time feedback on signal, battery, and blind status. Simple pairing and over-the-air updates ensure a smooth experience.

## **Smart Controller and Neo Smart Blinds App**



Control your blinds individually or in groups, whether at home or away. Schedule groups and create custom scenes to suit your lifestyle. Easily integrate with leading smart home platforms for enhanced convenience.

- Amazon Alexa
- Google Assistant
- Siri Shortcuts
- Creston Home
- Control 4
- Savant
- Indigo

- IFTTT
- Nice/ELAN
- Apple Home via Matter
- SmartThings via Matter



# **Motor Specifications**

Model	TM-RT25-1.5/30
Description	25mm tubular RF transformer motor
Eletrical parameters	24V DC 450 mA
Power sources	24 V DC 1.5A AC/DC Adapter
Operational parameters	1.5Nm, 30rpm
Control mode	RF remote control Smart Controller Blue Link port







Wireless remote control

Whisper quiet

Light adjusting

**Key Features** 

- Powered by 24V plug-in transformer
- Easily set the open and close limits, plus two favorite positions
- Works with all Neo Remote Controls
- Can work with your phone instantly by connecting the optional Blue Link (Bluetooth® dongle) to the motor. The Neo Smart Blinds Blue app is available for iOS and Android devices.
- Comes ready to work with the Smart Controller to enable local and cloud control. The Neo Smart Blinds app is available for iOS and Android devices.

## **Blinds Types**



#### **Compatible Apps**

#### **Blue Link and Neo Smart Blinds Blue App**



Blind control via Bluetooth®—no Wi-Fi needed. Adjust each blind with precision, set schedules, and get real-time feedback on signal, battery, and blind status. Simple pairing and over-the-air updates ensure a smooth experience.

#### **Smart Controller and Neo Smart Blinds App**



Control your blinds individually or in groups, whether at home or away. Schedule groups and create custom scenes to suit your lifestyle. Easily integrate with leading smart home platforms for enhanced convenience.

- Amazon Alexa
- Google Assistant
- Siri Shortcuts
- Creston Home
- Control 4
- Savant
- Indigo

- IFTTT
- Nice/ELAN
- Apple Home via
- Matter
- SmartThings via Matter



## **Motor Specifications**

Model	TM-BRB25-C-1.1/30 USB-C extension
Description	25mm tubular Bluetooth and RF battery motor
Eletrical parameters	8.4V built-in rechargeable battery 2200mAh and 2600mAh options
Power sources	5V/1A charger 2W/15V solar panel
Operational parameters	1.1Nm, 30 rpm
Control mode	RF remote control Smart Controller Built-in Bluetooth











Wireless remote control

Battery driven

Whisper quiet

Solar powered

#### **Key Features**

- Built-in lithium battery lasts up to 6 months
- Charge using a USB wall charger or Neo solar panel
- Easily set the open and close limits
- Precise % position and two favorite positions
- Current position and battery level feedback
- Works with all Neo Remote Controls
- Works with your phone instantly by pairing the motor Neo Smart Blinds Blue app, available on both IOS & Android devices via the App Store and Google Play.
- Compatible with Smart Controller and Neo Smart Blinds app, available on both iOS & Android devices via App Store and Google Play.

## **Blinds Types**



# **Compatible Apps**

#### **Neo Smart Blinds Blue App**



Blind control via Bluetooth®—no Wi-Fi needed. Adjust each blind with precision, set schedules, and get real-time feedback on signal, battery, and blind status. Simple pairing and over-the-air updates ensure a smooth experience.

#### **Smart Controller and Neo Smart Blinds App**



Control your blinds individually or in groups, whether at home or away. Schedule groups and create custom scenes to suit your lifestyle. Easily integrate with leading smart home platforms for enhanced convenience.

- Amazon Alexa
- Google Assistant
- Siri Shortcuts
- Creston Home
- Control 4
- Savant
- Indigo

- IFTTT
- Nice/ELAN
- Apple Home via
- Matter
- SmartThings via Matter



## **Motor Specifications**

Model	TM-BRB25-CN-1.1/30 <i>USB-C port</i>
Description	25mm tubular Bluetooth and RF battery motor
Eletrical parameters	8.4V built-in rechargeable battery 2200mAh and 2600mAh options
Power sources	5V/1A charger 2W/15V solar panel
Operational parameters	1.1Nm, 30 rpm
Control mode	RF remote control Smart Controller Built-in Bluetooth







Battery driven



Whisper quiet



Solar powered



Light adjusting

#### **Key Features**

- Built-in lithium battery lasts up to 6 months
- Charge using a USB wall charger or Neo solar panel
- Easily set the open and close limits
- Precise % position and two favorite positions
- Current position and battery level feedback
- Works with all Neo Remote Controls
- Works with your phone instantly by pairing the motor Neo Smart Blinds Blue app, available on both IOS & Android devices via the App Store and Google Play.
- Compatible with Smart Controller and Neo Smart Blinds app, available on both iOS & Android devices via App Store and Google Play.

## **Blinds Types**



# **Compatible Apps**

#### **Neo Smart Blinds Blue App**



Blind control via Bluetooth®-no Wi-Fi needed. Adjust each blind with precision, set schedules, and get real-time feedback on signal, battery, and blind status. Simple pairing and over-the-air updates ensure a smooth experience.

## **Smart Controller and Neo Smart Blinds App**



Control your blinds individually or in groups, whether at home or away. Schedule groups and create custom scenes to suit your lifestyle. Easily integrate with leading smart home platforms for enhanced convenience.

- Amazon Alexa
- IFTTT
- Google Assistant
- Nice/ELAN
- Siri Shortcuts
- Apple Home via
- Creston Home
- Matter
- Control 4
- SmartThings via Matter
- Savant
- Indigo



# **Motor Specifications**

Model	TM-WRT25-1.5/30
Description	25mm tubular Wi-Fi and RF transformer motor
Eletrical parameters	24V DC 450 mA
Power sources	24 V DC 1.5A AC/DC Adapter
Operational parameters	1.5Nm, 30 rpm
Control mode	RF remote control Smart Controller Built-in Wi-Fi







Whisper quiet



Light adjusting

#### **Key Features**

- Powered by 24V plug-in transformer
- Easily set the open and close limits
- Precise % position and two favorite positions
- Current position feedback
- Works with all Neo remote controls
- Built-in Wi-Fi. The Smart Controller is not required.
- Compatible with Neo Smart Blinds app, available on both iOS & Android devices via App Store and Google Play.

## **Blinds Types**



# Compatible Apps Neo Smart Blinds App



Control your blinds individually or in groups, whether at home or away. Schedule groups and create custom scenes to suit your lifestyle. Easily integrate with leading smart home platforms for enhanced convenience.

#### **Integrations**

- Amazon Alexa
- Google Assistant
- Siri Shortcuts
- Creston Home
- Control 4
- Savant
- Indigo

- IFTTT
- Nice/ELAN
- Apple Home via
- Matter\*
- SmartThings via
- Matter\*

\*Available for accounts with one or more Smart Controllers.



## **Motor Specifications**

Туре	TM-WOB25-CN-1.1/30 <b>USB-C</b> port Special request
Description	25mm tubular wand battery motor
Eletrical parameters	8.4V built-in rechargeable battery 2200mAh and 2600mAh options
Power sources	5V/1A charger 2W/15V solar panel
Operational parameters	1.1Nm, 30rpm
Control mode	Wand control only No Blue Link port







Battery driven

Whisper quiet

Solar powered

#### **Key Features**

- Built-in lithium battery lasts up to 6 months
- Charge using a USB wall charger or Neo solar panel
- Easily set the open and close limits
- Control your blind with a practical wand that comes in varying sizes

Not compatible with Blue Link (Bluetooth® dongle) or any of the Neo Smart Blinds apps.

# Blinds Types Roller Roman Zebra ShangriLa Skylight



# **Motor Specifications**

Model	TM-WB25-1.1/30 Micro-USB port
Description	25mm tubular wand battery motor
Eletrical parameters	8.4V built-in rechargeable battery 2200mAh
Power sources	5V/1A charger 2W/15V solar panel
Operational parameters	1.1Nm, 30rpm
Control mode	Wand control Blue Link port









Wireless remote control

Battery driven

Whisper quiet

Solar panel compatible

#### **Key Features**

- Built-in lithium battery lasts up to 6 months
- Charge using a USB wall charger or Neo solar panel
- Easily set the open and close limits
- Precise % position and two favorite positions
- Can work with your phone instantly by connecting the optional Blue Link (Bluetooth® dongle) to the motor. The Neo Smart Blinds Blue app is available for iOS and Android devices.

## **Blinds Types**



## **Compatible Apps**

#### Blue Link and Neo Smart Blinds Blue App



Blind control via Bluetooth®—no Wi-Fi needed. Adjust each blind with precision, set schedules, and get real-time feedback on signal, battery, and blind status. Simple pairing and over-the-air updates ensure a smooth experience.



## **Motor Specifications**

Model	TM-WB25-CN-1.1/30 <b>USB-C</b> port
Description	25mm tubular wand battery motor
Eletrical parameters	8.4V built-in rechargeable battery 2200mAh and 2600mAh options
Power sources	5V/1A charger 2W/15V solar panel
Operational parameters	1.1Nm, 30rpm
Control mode	Wand control Blue Link port







Baterry driven



Whisper quiet



Solar powered

#### **Key Features**

- Built-in lithium battery lasts up to 6 months
- Charge using a USB wall charger or Neo solar panel
- Easily set the open and close limits
- Precise % position and two favorite positions
- Can work with your phone instantly by connecting the optional Blue Link (Bluetooth® dongle) to the motor. The Neo Smart Blinds Blue app is available for iOS and Android devices.

## **Blinds Types**



#### **Compatible Apps**

#### Blue Link and Neo Smart Blinds Blue App



Blind control via Bluetooth®—no Wi-Fi needed. Adjust each blind with precision, set schedules, and get real-time feedback on signal, battery, and blind status. Simple pairing and over-the-air updates ensure a smooth experience.

# **NEO WAND**

# **Neo Wand specifications**

• Indoor use only

• Working temperature: -20°C ~ +55°C

## **Models**

WAND-21	21 inches (53 cm)	
WAND-39	39 inches (99 cm)	TM-WB25-1.1/30
WAND-51	51 inches (129.5 cm)	
WAND-C-21	21 inches (53 cm)	
WAND-C-39	39 inches (99 cm)	TM-WOB25-CN-1.1/30 TM-WB25-CN-1.1/30
WAND-C-51	51 inches (129.5 cm)	1141 VVB25 CIV 1.1700





# **Motor Specifications**

Туре	TM-RB25-C-2/22-26 <b>USB-C extension</b>
Description	25mm tubular RF battery motor
Eletrical parameters	12.6V built-in rechargeable battery 3000mAh
Power sources	5V/1A charger 2W/15V solar panel
Operational parameters	2Nm, 22-26 rpm
Control mode	RF remote control Smart Controller Blue Link port







Wireless remote control

Quiet

Light adjusting

#### **Key Features**

- Built-in lithium battery lasts up to 6 months
- Charge using a USB wall charger or Neo solar panel
- Easily set the open and close limits
- Precise % position and two favorite positions
- Works with all Neo Remote Controls
- Can work with your phone instantly by connecting the optional Blue Link (Bluetooth® dongle) to the motor. The Neo Smart Blinds Blue app is available for iOS and Android devices.
- Comes ready to work with the Smart Controller to enable local and cloud control. The Neo Smart Blinds app is available for iOS and Android devices.

## **Blinds Types**



#### **Compatible Apps**

#### Blue Link and Neo Smart Blinds Blue App



Blind control via Bluetooth®—no Wi-Fi needed. Adjust each blind with precision, set schedules, and get real-time feedback on signal, battery, and blind status. Simple pairing and over-the-air updates ensure a smooth experience.

#### **Smart Controller and Neo Smart Blinds App**



Control your blinds individually or in groups, whether at home or away. Schedule groups and create custom scenes to suit your lifestyle. Easily integrate with leading smart home platforms for enhanced convenience.

- Amazon Alexa
- IFTTT
- Google Assistant
- Nice/ELAN
- Siri ShortcutsCreston Home
- Apple Home via Matter
- Control 4
- SmartThings via
- Savant
- Matter
- Indigo



# **Motor Specifications**

Model	TM-RA35-3/26
Description	35mm tubular RF AC motor
Eletrical parameters	110V AC 60Hz 100W 1.0A
Power sources	-
Operational parameters	3Nm, 26 rpm
Control mode	RF remote control Smart Controller Blue Link port Dry-Contact





Wireless remote control

Quiet

#### **Key Features**

- Easily set the open and close limits
- Precise % position and two favorite positions
- Works with all Neo Remote Controls
- Can work with your phone instantly by connecting the optional Blue Link (Bluetooth® dongle) to the motor. The Neo Smart Blinds Blue app is available for iOS and Android devices.
- Comes ready to work with the Smart Controller to enable local and cloud control. The Neo Smart Blinds app is available for iOS and Android devices.
- RS485 port is available under request

## **Blinds Types**



#### **Compatible Apps**

#### Blue Link and Neo Smart Blinds Blue App



Blind control via Bluetooth®-no Wi-Fi needed. Adjust each blind with precision, set schedules, and get real-time feedback on signal, battery, and blind status. Simple pairing and over-the-air updates ensure a smooth experience.

#### **Smart Controller and Neo Smart Blinds App**



Control your blinds individually or in groups, whether at home or away. Schedule groups and create custom scenes to suit your lifestyle. Easily integrate with leading smart home platforms for enhanced convenience.

- Amazon Alexa
- Google Assistant
- IFTTT • Nice/ELAN
- Siri Shortcuts Creston Home
- Apple Home via Matter
- Control 4
- SmartThings via
- Matter
- Savant
- Indigo



## **Motor Specifications**

Model	TM-RA45-12/26			
Description	45mm tubular RF AC motor			
Eletrical parameters	110V AC 60Hz 140W 1.4A			
Power sources	-			
Operational parameters	12Nm, 26 rpm			
Control mode	RF remote control Smart Controller Blue Link port Dry-Contact			





Wireless remote control

Quiet

#### **Key Features**

- Easily set the open and close limits
- Precise % position and two favorite positions
- Works with all Neo Remote Controls
- Can work with your phone instantly by connecting the optional Blue Link (Bluetooth® dongle) to the motor. The Neo Smart Blinds Blue app is available for iOS and Android devices.
- Comes ready to work with the Smart Controller to enable local and cloud control. The Neo Smart Blinds app is available for iOS and Android devices.
- RS485 port is available under request

#### **Blinds Types**



#### **Compatible Apps**

#### Blue Link and Neo Smart Blinds Blue App



Blind control via Bluetooth®—no Wi-Fi needed. Adjust each blind with precision, set schedules, and get real-time feedback on signal, battery, and blind status. Simple pairing and over-the-air updates ensure a smooth experience.

#### **Smart Controller and Neo Smart Blinds App**



Control your blinds individually or in groups, whether at home or away. Schedule groups and create custom scenes to suit your lifestyle. Easily integrate with leading smart home platforms for enhanced convenience.

- Amazon Alexa
- IFTTT
- Google Assistant
- Nice/ELAN
- Siri ShortcutsCreston Home
- Apple Home via Matter
- Control 4
- SmartThings via Matter
- ControlSavant
- Indigo

# **NEO MOTORS - CURTAIN SERIES**



# **Motor Specifications**

Model	CM-WRT40-1.2/130		
Description	40mm curtain Wi-Fi and RF transformer motor		
Eletrical parameters	24V DC 1.3A		
Power sources	24 V DC 1.5A AC/DC Adapter		
Operational parameters	1.2Nm, 130 rpm (110 lbs capacity)		
Dimensions	265x40x40 mm		
Control mode	RF remote control Touch control Built-in Wi-Fi Dry-Contact		









Wireless remote control

Whisper quiet

Touch control


Manual operation

#### **Key Features**

- Touch control; soft-start and soft-stop
- Limits set automatically
- Precise % position and two favorite positions
- Works with all Neo Remote Controls
- Built-in Wi-Fi. The Smart Controller is not required.
- Compatible with Neo Smart Blinds app, available on both iOS & Android devices via App Store and Google Play.

#### **Drapery Types**

For all the motorized drapery systems



# Compatible Apps Neo Smart Blinds App



Control your blinds individually or in groups, whether at home or away. Schedule groups and create custom scenes to suit your lifestyle. Easily integrate with leading smart home platforms for enhanced convenience.

#### Integrations

- Amazon Alexa
- IFTTT
- Google Assistant
- Nice/ELAN
- Siri Shortcuts
- Apple Home via
- Creston Home
- Matter\*

Matter\*

- Control 4
- SmartThings via
- Savant
- Indigo

\*Available for accounts with one or more Smart Controllers.

# **NEO MOTORS - CURTAIN SERIES**



### **Motor Specifications**

Model	CM-BRE40-0.8/100		
Description	40mm curtain Bluetooth and RF external battery motor		
Eletrical parameters	12.6V external rechargeable battery		
Power sources	15.6V/1A AC/DC charger 2W/15V solar panel		
Torque and speed	0.8 Nm, 100 rpm (65 lbs capacity)		
Dimensions	265x40x40 mm		
Control mode	RF remote control Touch control Smart Controller Dry-Contact		



Wireless











Battery remote control driven

Whisper quiet

Solar powered

Touch control

Manual operation

**Key Features** 

- Touch control; soft-start and soft-stop
- Built-in lithium battery lasts up to 6 months
- Limits set automatically
- Precise % position and two favorite positions
- Works with all Neo Remote Controls
- Works with your phone instantly by pairing the motor Neo Smart Blinds Blue app, available on both IOS & Android devices via the App Store and Google Play.
- Comes ready to work with the Smart Controller to enable local and cloud control. The **Neo Smart Blinds app** is available for iOS and Android devices.

#### **Drapery Types**

For all the motorized drapery systems



## **Compatible Apps**

#### **Neo Smart Blinds Blue App**



Blind control via Bluetooth®-no Wi-Fi needed. Adjust each blind with precision, set schedules, and get real-time feedback on signal, battery, and blind status. Simple pairing and over-the-air updates ensure a smooth experience.

#### **Smart Controller and Neo Smart Blinds App**



Control your blinds individually or in groups, whether at home or away. Schedule groups and create custom scenes to suit your lifestyle. Easily integrate with leading smart home platforms for enhanced convenience.

- Amazon Alexa
- IFTTT
- Google Assistant
- Nice/ELAN
- Siri Shortcuts
- Apple Home via Matter
- Creston Home Control 4
- SmartThings via
- Matter
- Savant
- Indigo

# **NEO MOTORS - VENETIAN SERIES**



# VM-RTBE24-0.8/35

# **Motor Specifications**

Туре	VM-RTBE12-0.8/35		
Description	24mm venetian RF motor		
Eletrical parameters	12.6V external rechargeable battery or 12 V DC 1.5A adapter		
Power sources	15.6V/1A AC/DC charger 2W/15V solar panel		
Operational parameters	0.8Nm, 35rpm		
Control mode	RF remote control Smart Controller Blue Link port		





Wireless remote control

Whisper quiet

#### **Key Features**

- Powered by a 12V DC transformer or an external battery
- Easily set the open and close limits
- Precise % position and two favorite positions
- Works with all Neo Remote Controls
- Can work with your phone instantly by connecting the optional Blue Link (Bluetooth® dongle) to the motor. The Neo Smart Blinds Blue app is available for iOS and Android devices.
- Comes ready to work with the Smart Controller to enable local and cloud control. The Neo Smart Blinds app is available for iOS and Android devices.

## **Blinds Types**





Roman

Wood/Aluminum

## **Compatible Apps**

#### Blue Link and Neo Smart Blinds Blue App



Blind control via Bluetooth®—no Wi-Fi needed. Adjust each blind with precision, set schedules, and get real-time feedback on signal, battery, and blind status. Simple pairing and over-the-air updates ensure a smooth experience.

#### **Smart Controller and Neo Smart Blinds App**



Control your blinds individually or in groups, whether at home or away. Schedule groups and create custom scenes to suit your lifestyle. Easily integrate with leading smart home platforms for enhanced convenience.

- Amazon Alexa
- Google Assistant
- Siri Shortcuts
- Creston Home
- Control 4
- Savant
- Indigo

- IFTTT
- Nice/ELAN
- Apple Home via
- Matter
- SmartThings via Matter

# **NEO MOTORS - VENETIAN SERIES**



## **Motor Specifications**

Туре	VM-WRT40-2/28		
Description	40mm venetian Wi-Fi and RF motor		
Eletrical parameters	24V DC 1.0A		
Power sources	24 V DC 1.5A AC/DC Adapter		
Operational parameters	2Nm, 28rpm		
Control mode	RF remote control Smart Controller Built-in Wi-Fi		







Whisper quiet

#### **Key Features**

- Easily set the open and close limits
- Precise % position and two favorite positions
- Works with all Neo Remote Controls
- Built-in Wi-Fi. The Smart Controller is not required.
- Compatible with Neo Smart Blinds app, available on both iOS & Android devices via App Store and Google Play.

#### **Blinds Types**



# Compatible Apps Neo Smart Blinds App



Control your blinds individually or in groups, whether at home or away. Schedule groups and create custom scenes to suit your lifestyle. Easily integrate with leading smart home platforms for enhanced convenience.

- Amazon Alexa
- IFTTT
- Google Assistant
- Nice/ELAN
- Siri Shortcuts
- Apple Home via
- Creston Home
- Matter\*
- Cicstonine
- SmartThings via
- Control 4
- Matter\*
- SavantIndigo
- \*Available for accounts with one or more Smart Controllers.

# **NEO SOLAR PANELS**



#### **Neo Solar Panel**

- Compatible with all Neo battery-driven products
- For indoor use only
- 2 brackets are included
- Horizontal or vertical installation
- The use of a solar panel is intended to extend the time between battery charges. We do not guarantee that eventual charges using an external charger will not be necessary.

#### **Models**

SP-2/11	Solar Panel 2W/11V 180mA with 13" wire
SP-2/15	Solar Panel 2W/15V 133mA with 13" wire

# **NEO REMOTE CONTROLS**



RC-202-W 2 Channels



RC-206-W 6 Channels

## **Remote control specifications**

- Transmission power: 10dBm
- ASK 433.92MHz wireless transmission
- Battery CR2032x1PC
- Outdoor transmission distance: 200m Indoor transmission distance: 35m Working temperature: -20°C ~ +55°C

#### **Models**

RC-201-W	white	1 channel
RC-201-B	black	1 channel
RC-202-W	white	2 channels
RC-202-B	black	
RC-206-W	white	6 channels
RC-206-B	black	
RC-215-W	white	15 channels
RC-215-B	black	
RC-230-W	white	30 channels
RC-230-B	black	
WS-202-W	white	2 channels
WS-208-W	white	8 channels



RC-215-W, RC-230-W 15 Channels, 30 Channels



WS-202-W 2 Channels



WS-208-W 8 Channels

# **SMART CONTROLLER**

With the Smart Controller and Neo Smart Blinds App, you can now control your motorized blinds using your smartphone, tablet, or computer, from anywhere.



The leading multi-protocol RF hub for

motorized window coverings, tailored

for manufacturers and installers

- Supports 20+ motorized blind brands
- In-app guided setup specific to each motor brand
- Automated schedules for light control and privacy
- OTA firmware updates

**RADIO FREQUENCY** 

433.42 - 434.15 MHz

**NUMBER OF ROOMS** Unlimited<sup>2</sup>

**COVERAGE UP TO** 

3.500 saft1

NUMBER OF BLINDS Unlimited<sup>2</sup>

Our Smart Controller adapts to your business, whether you work with multiple motor brands. plan to switch, or offer new integration options to your clients.

#### **COMPATIBLE MOTOR BRANDS**

Allen+Roth, Alpha, Alta Bliss, A-OK, Arabel, Bofu/Simplicity (roller, vertical, top-down/ bottom-up), Dooya, Dooya Bi-directional, Eclipse, Gaposa, Jiecang, Louvolite, Maxxmar, MotionBlinds. Neo Smart Blinds, Nice, Raex, Rollease Arc. Rollease Basic, Rollerhouse, Ronco, Somfy, Sunfree Radio+, Turnils AMP, Wistar.

























#### **INTEGRATIONS**

Amazon Alexa, Google Home, Siri Shortcuts, IFTTT, Control4, Crestron Home, Nice/ **ELAN Home Management** Integration, Savant, Indigo Domotics, HomeSeer, and Apple Home and Samsung SmartThings via Matter.

























<sup>&</sup>lt;sup>1</sup>Coverage may vary based on house construction materials, layout, number of floors, and Smart Controller location. Central placement and higher elevation within the house help maximize signal distribution. <sup>2</sup> Up to 65,535 rooms and up to 15 blinds per room/group, except for Alpha and Wistar, which support up to 8 blinds per room.

Google Play and the Google Play logo are trademarks of Google Inc.

Apple and the Apple logo are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc., registered in the U.S. and other countries.


# Designed to work with the unique features of each blind type and motor





#### **Neo Smart Blinds motors**

In addition to the standard two favorite positions and percentage-based control, Neo Smart Blinds motors with Bluetooth offer feedback capabilities. This allows the Smart Controller and app to display real-time updates on both the current battery level and blind position.



#### **Top-Down Bottom-Up blinds**


TDBU blinds allow you to adjust both the middle and bottom rails independently for versatile light control. Just like the remote control, choose the rail you want to move and send the desired command.



#### Got new motorized blinds?

Contact technical support at tech@neosmartblinds.com and send the blind instructions along


with front and back pictures of the remote control for an integration evaluation.





#### **Percentage Control**

Some motor brands, such as Neo Smart Blinds, Doova Bi-Directional, Rollease Arc. Rollease Basic, AMP, Jiecang, and Motion-Blinds, support percentage-based position commands. The "%" button appears when paired with these brands. Tap the button to flip the blind card, allowing you to easily set the desired position by percentage.





**Neo Smart Blinds app** 



The app is available on Google Play and on the App Store. To control your blinds via a computer, visit the page app. neosmartblinds.com using a Google Chrome browser.

#### **System requirements**

- 2.4GHz Wi-Fi (802.11b/g/n), not 5GHz
- WPA2-Personal or WPA3-Personal
- Strong Wi-Fi signal at the Smart Controller's location
- Android 9.0+ or iOS 13+ device







# **BLUE LINK**

Automation and precise control over Bluetooth®






Percentage Position **Battery Level** 



**Automate with Schedules** 

Automatic Daylight Saving Time Adjustment




## About the Blue Link

Blue Link provides real-time feedback and precise position control via Bluetooth, whether built into the motor or connected as an add-on to a compatible Neo Smart Blinds model. Using the app, you can locally control and schedule each blind without the need for a router or Wi-Fi.

#### **Features**

- Direct local control via smartphone over Bluetooth
- Signal strength indicator
- Battery level indicator
- Real-time blind position feedback
- Individual blind control
- Swipe to set blind position from 0% to 100%
- Limit settings and reverse direction supported via app
- Create schedules to automate daily operation
- Over-the-air firmware updates



**Current Blind Position** and Battery Level

#### **Motor Requirements**


The Blue Link is a Bluetooth solution designed exclusively for Neo Smart Blinds motors, available as a built-in option or as an add-on for motors with the 5-pin port.

#### **Motor Models**

- Blue Link built-in: TM-BRB, CM-BRE
- Blue Link add-on compatible: TM-RB, TM-WB, TM-RT, TM-RA
- Not Compatible: TM-WRT, CM-WRT








Swipe to set the blind to

any desired position



Advanced settings and firmware updates



**Neo Smart Blinds Blue** 

Available on Google Play and the App Store.







# **Neo Smart Blinds**

neos martblinds.com

Inquiries: info@neosmartblinds.com Technical support: tech@neosmartblinds.com